


# PadPak<sup>®</sup> LC Plus

Optimal protection,  
at a perfect price



PLUS TECHNOLOGY  
INSIDE

## ABOUT THE SOLUTION

*As the cushioning market is maturing, more attention is given to costs-in-the-box. Ranpak now offers a complete range of cushioning solutions with corresponding price points to serve every customer need.*

*The new Plus Technology creates a more voluminous pad which enables perfect cushioning while less paper (quality) is needed.*

**Better voluminous pad** due to new technology

New **eco-friendly protective solution** with 70 and 90gsm recycled paper (ecoline)



## PACKAGING NEEDS

The PadPak LC PLUS is developed for the medium/low cushioning segment. The possibility to run virgin as well as recycled paper that create big volume pads, makes this converter very versatile. You can use the converter to protect fragile and less fragile items that are 15 kg or less. For example companies that ship books and home accessories to prevent these items from damage by shifting in the box.

**“This solution helps to minimize costs and be eco-friendly. The smaller paper width combined with a more voluminous pad is an absolute winner.”**

“Operations manager - E-commerce distribution center”

## PRODUCT BENEFITS

- The improved technology produces higher volume pads with the same amounts of paper
- Ability to work effectively with competitively priced paper qualities
- Highly eco-friendly packaging solution with Ecoline (70 and 90 gsms) paper configuration



## CONVERTER SPECIFICATIONS

### CONVERTER

Dimensions (LxBxH)	112x83x163 cm
Weight	103 kg
Voltage	110-240 Volt
Paper feed	Pack (76 cm)
Power	830 Watt



## PAPER SPECIFICATIONS

### PACK

Paper width	76 cm
Dimensions (LxBxH)	76x18x24 cm
Pack weight	see table on back side
Paper configurations	see table on back side
Number of paper layers	1-ply



# PAPER PALLET SPECIFICATIONS



## PAPER PALLET\*

Paper configurations	Length pack	Weight pack	#Packs per pallet	Weight of pallet
70 gr	360 mtr	19 kg	24	483 kg
90 gr	300 mtr	20 kg	24	513 kg
70 gr ecoline	360 mtr	19 kg	24	497 kg
90 gr ecoline	300 mtr	20 kg	24	527 kg

\* Euro pallet (80x120 cm)