


PadPak[®] SR Plus

Superior protection,
competitive pricing



PLUS TECHNOLOGY
INSIDE



ABOUT THE SOLUTION

As the cushioning market is maturing, more attention is given to costs-in-the-box. Ranpak now offers a complete range of cushioning solutions with corresponding price points to serve every customer need.

The new Plus Technology creates a more voluminous pad which enables perfect cushioning while less paper (quality) is needed.

Better voluminous pad due to new technology

Possibility to run 110 gr Virgin single ply leads to **optimized cost** in the box

Optimal efficiency due to paper packs



PACKAGING NEEDS

The PadPak SR PLUS is highly suitable for heavy cushioning applications (>15 kg). Specifically for blocking and bracing heavy or extremely fragile products in the box.

For example, industrial and automotive parts like pumps and engines.

“This solution is ideal to solve my need for heavy cushioning. It offers an effective solution which is compliant with our costs reduction targets.”

“Warehouse Manager - Car part distributions ”

PRODUCT BENEFITS

- Ability to work effectively with competitively priced paper qualities
- 1-ply solution leads to more efficiency in handling due to paper packs
- Pad has appr. 20% more volume than current PadPak SR pad

CONVERTER SPECIFICATIONS



CONVERTER FOR PACK

Dimensions (LxBxH)	101x95x193-225 cm
Weight	190 kg
Voltage	240 Volt
Paper feed	Pack (76 cm)
Power	810 Watt



CONVERTER FOR ROLL

Dimensions (LxBxH)	101x95x193-225 cm
Weight	190 kg
Voltage	240 Volt
Paper feed	Roll (76 cm)
Power	810 Watt



PAPER SPECIFICATIONS



PACK

Paper width	76 cm
Dimensions (LxBxH)	76x18x24 cm
Pack weight	21 kg
Paper configurations	110 gr
Number of paper layers	1-ply



ROLL

Paper width	76 cm
Dimensions (LxBxH)	60x49x22 cm**
Roll weight (kg)	see table back side
Paper configurations (gr/gr/gr)	see table back side
Number of paper layers	2-ply or 3-ply

PAPER PALLET SPECIFICATIONS



PAPER PALLET*

Paper configurations	Length	Weight	# per pallet	Weight of pallet
Roll**				
50/50/50 gr	270 mtr	31 kg	11	362 kg
50/70/50 gr	235 mtr	31 kg	11	357 kg
50/70 gr	335 mtr	31 kg	11	359 kg
50/50 gr	215 mtr	17 kg	20	350 kg
70/70 gr	290 mtr	31 kg	12	363 kg
70/75 gr (ecoline)	250 mtr	28 kg	11	326 kg
Pack				
110 gr	250 mtr	21 kg	24	525 kg

* Euro pallet (80x120 cm)

** Based on standard length, also available in light or heavy rolls